



# DOORS CATALOG

# ABOUT SKYGEN

Welcome to SKYGEN.

Here, we elevate your vision and transform your spaces.

Driven by innovation and craftsmanship, SKYGEN gained its trust as the most reliable windows and doors supplier across Canada and United States. Working side by side with designers, general contractors, builders, architects and construction companies, we deliver impeccable service and solutions for everybody.

Our client is always our top priority. Each project has its own unique story and needs a personalized approach. We strive to be that companion who is always there for you. Let us take care of every detail, from manufacturing your customized design to installing it.

At SKYGEN you will find a variety of doors, windows, pergolas, and sliding systems of exceptional quality. We are proud of trustful and long-term relationships with our clients, as we set high standards and implement only modern techniques in the work process.

Our work speaks louder than words. We've already become a top specialist in planning, projecting, and supplying doors and windows for Canadians. Do you want to know why? Reach out to us or come to our showroom, located at 6210 Northwest Dr Mississauga. Our doors and windows are always open for you!

## SKYGEN IN NUMBERS

**50+**

Products in offers

**90**

Days to deliver  
your order

**67**

Business partners



Skygen Windows System

6210 Northwest Dr, Mississauga, ON, L4V 1J6, Canada

Tel: 905.672.8800 | skygenwindows.com

  
**SKYGEN**  
WINDOWS SYSTEMS

## ENTRANCE DOOR 01

---

DP 02	02
DP 04	03
DP 05	04
DP 10	05
DP 16	06
DP 21	07
DP 22	08
DP 25	09
DP 26	10
DP 35	11
Colour palette	13

## INTERIOR DOOR 14

---

Arte collection	15
Bone collection	16
Casa collection	18
Drive collection	20
Evo collection	21
Fly collection	23
G-line collection	24
Hide collection	25
Isy collection	26
Loft collection	27
Invisible line	28
Inside opening   Sky line	29
Roto opening	30
Sliding door	31
Handles	33

## GARAGE DOORS 35

---

Torino	36
Foggia	37
Firenze	38
Livorno	39
Messina	40
Modena	41
Verona	42
Embossing patterns	43
Colour palette	44
Sectional garage doors	45
Gate equipment packages	46
Infiniti quiet	47
Infiniti safe	48
Infiniti premium	49
Infiniti X   Infiniti R	50
Infiniti F   Infiniti ZERO	51
Automation accessories	52

## PATIO ALUMINIUM DOORS 55

---

Con vision	56
Con vision plus	57
Masterpatio	58
MB-86 Fold line	59
MB-Slide	60

## PATIO UPVC DOOR 61

---

Multi slide	62
HST 85	63
Smart slide	64
Colouring	65

## PERGOLA 67

---



# ENTRANCE DOORS

All models on offer can be mounted on profiles as the insert panel or fixed on one or both sides.



# DP 02



## DP 02

- Pull DP 60.1800
- Front glass: VSG 33.1 thermofloat
- Glazing (centre) sandblasted float with translucent stripes
- Rear glass: thermofloat with a black warm edge spacer
- Flush Alu-Inox inlay on both sides
- RAL 7016 grey anthracite matt



## DESPIRO

### DESPIRO EXCLUSIVE DOORS

1 .....

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

2 .....

The solution available with or without a threshold.

3 .....

Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

4 .....

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

5 .....

Rigid and durable aluminium profiles that enable to produce doors of large sizes.



# DP 04

- Pull DP 60.1400
- Flush Alu-Nox inlay on both sides
- Mahogany/a surcharge for wood-like colours



All models on offer can be mounted on profiles as the insert panel or fixed on one or both sides.



# DESPIRO

## DESPIRO EXCLUSIVE DOORS

1 .....

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

2 .....

The solution available with or without a threshold.

3 .....



Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

4 .....

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

5 .....

Rigid and durable aluminium profiles that enable to produce doors of large sizes.





# DP 05

- Pull DP 60.1600
- Milling on both sides
- RAL 7016 grey anthracite matt



# DESPIRO

## DESPIRO EXCLUSIVE DOORS

1

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

4

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

2



The solution available with or without a threshold.

5

Rigid and durable aluminium profiles that enable to produce doors of large sizes.

3

Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.



# DP 05




All models on offer can be mounted on profiles as the insert panel or fixed on one or both sides.

# DP 10

## DP 10

- Pull DP 60.1800
- RAL 9006 aluminium silver matt



## DESPIRO

### DESPIRO EXCLUSIVE DOORS

1 -----

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

2 -----

The solution available with or without a threshold.

3 -----

Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

4 -----

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

5 -----

Rigid and durable aluminium profiles that enable to produce doors of large sizes.



# DP 16

- Pull DP 60.1600
- Front glass: VSG 33.1 thermofloat
- Glazing (centre) sandblasted float
- Rear glass: thermofloat with a black warm edge spacer
- Milling on both sides
- RAL 7016 grey anthracite matt



All models on offer can be mounted on profiles as the insert panel or fixed on one or both sides.



# DESPIRO

## DESPIRO EXCLUSIVE DOORS

1 .....

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

2 .....

The solution available with or without a threshold.

3 .....


Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

4 .....

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

5 .....

Rigid and durable aluminium profiles that enable to produce doors of large sizes.





# DP 21

- Pull DP 60.1800
- Alu-Inox application put on both sides
- RAL 7016 grey anthracite matt



# DESPIRO

## DESPIRO EXCLUSIVE DOORS

1 .....

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

2 .....

The solution available with or without a threshold.

3 .....


Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

4 .....

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

5 .....

Rigid and durable aluminium profiles that enable to produce doors of large sizes.




# DP 21



# DP 22

- Pull DP 60.1800
- Alu-Nox application put on both sides
- RAL 7016 grey anthracite matt



# DESPIRO

## DESPIRO EXCLUSIVE DOORS

**1** .....  
Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

**2** .....  
The solution available with or without a threshold.

**3** .....  
Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

**4** .....  
Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

**5** .....  
Rigid and durable aluminium profiles that enable to produce doors of large sizes.



# DP 25

- Pull DP 60.1400
- Front glass: VSG 33.1 thermofloat
- Glazing (centre) sandblasted float with transparent stripes
- Rear glass: thermofloat with a black warm spacer bar
- INOX application
- RAL5005



All models on offer can be mounted on profiles as the insert panel or fixed on one or both sides.



# DESPIRO

## DESPIRO EXCLUSIVE DOORS

1 .....

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

2 .....

The solution available with or without a threshold.

3 .....



Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

4 .....

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

5 .....

Rigid and durable aluminium profiles that enable to produce doors of large sizes.





# DP 26

- Pull DP 40.1200
- Front glass: VSG 33.1 thermofloat
- Glazing (centre) sandblasted float with transparent stripes
- Rear glass: thermofloat with a black warm spacer bar
- Milling on both sides
- RAL7040



# DESPIRO

## DESPIRO EXCLUSIVE DOORS

**1** .....

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

**2** .....

The solution available with or without a threshold.

**3** .....


Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

**4** .....

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

**5** .....

Rigid and durable aluminium profiles that enable to produce doors of large sizes.



DP 26




# DP 35



## DP 35

- Pull DP 60.1600
- Milling on both sides
- RAL3004



## DESPIRO

### DESPIRO EXCLUSIVE DOORS

1 ..... 1

Aesthetic decorative panels available in a wide range of designs and RAL colours as well as wood-like veneers.

2 ..... 2

The solution available with or without a threshold.

3 ..... 3

Seals that ensure high water and air tightness thereby provide the users with the comfort and savings.

4 ..... 4

Four structure variants: ST, SI, SI+ and AERO that enable to achieve very good thermal parameters.

5 ..... 5

Rigid and durable aluminium profiles that enable to produce doors of large sizes.





### series DP 30

(cantilevers cut at the angle of 45 degrees), stainless, matt or polished steel

**Available dimensions:**

- DP 30.600 – 30x600 mm
- DP 30.800 – 30x800 mm
- DP 30.1000 – 30x1000 mm
- DP 30.1200 – 30x1200 mm
- DP 30.1400 – 40x1400 mm
- DP 30.1600 – 40x1600 mm
- DP 30.1800 – 40x1800 mm



### series DP 60

(flat-finished cantilevers), stainless, matt or polished steel

**Available dimensions:**

- DP 60.600 – 40x20x600 mm
- DP 60.800 – 40x20x800 mm
- DP 60.1000 – 40x20x1000 mm
- DP 60.1200 – 40x20x1200 mm
- DP 60.1400 – 40x40x1400 mm
- DP 60.1600 – 40x40x1600 mm
- DP 60.1800 – 40x40x1800 mm



### series DP 80

(cantilevers at the endings of the pull), stainless, matt or polished steel

**Available dimensions:**

- DP 80.600 – 600 mm



### series DP 40

(flat-finished cantilevers), stainless, matt or polished steel

**Available dimensions:**

- DP 40.600 – 30x600 mm
- DP 40.800 – 30x800 mm
- DP 40.1000 – 30x1000 mm
- DP 40.1200 – 30x1200 mm
- DP 40.1400 – 40x1400 mm
- DP 40.1600 – 40x1600 mm
- DP 40.1800 – 40x1800 mm



### series DP 70

(cantilevers cut at the angle of 45 degrees), stainless, matt or polished steel

**Available dimensions:**

- DP 70.600 – 40x20x600 mm
- DP 70.800 – 40x20x800 mm
- DP 70.1000 – 40x20x1000 mm
- DP 70.1200 – 40x20x1200 mm
- DP 70.1400 – 40x40x1400 mm
- DP 70.1600 – 40x40x1600 mm
- DP 70.1800 – 40x40x1800 mm



### series DP 90

(forward-curved pulls), stainless, matt or polished steel

**Available dimensions:**

- DP 90.600 – 600 mm



### series DP 210

(cantilevers cut at the angle of 45 degrees) stainless/Jatobe, matt or polished steel

**Available dimensions:**

- DP 210.800 – 800 mm
- DP 210.1200 – 1200 mm
- DP 210.1600 – 1600 mm



### series DP 110

(cantilevers cut at the angle of 45 degrees), stainless, matt or polished steel

**Available dimensions:**

- DP 110.600 – 600 mm
- DP 110.800 – 800 mm
- DP 110.1000 – 1000 mm
- DP 110.1200 – 1200 mm
- DP 110.1400 – 1400 mm
- DP 110.1600 – 1600 mm
- DP 110.1800 – 1800 mm



### series DP 200

(flat-finished cantilevers), stainless/Jatobe, matt or polished steel

**Available dimensions:**

- DP 200.800 – 800 mm
- DP 200.1200 – 1200 mm
- DP 200.1600 – 1600 mm



### Optional ornaments:



All door models are available in variants with sidelights and toplights.

- variant 1:** Sandblasted glass (motifs)
- variant 2:** Translucent glass
- variant 3:** Ornamental glass

In our offer you will find a wide range of glass with motifs, translucent glass or ornamental glass available in the most popular designs. (Not applicable to models DP20 to DP 36.)

Sidelights and toplights consist of 3-glazed units with warm edge spacers. The sidelights (permanent glazing) can be placed on one side as well as both sides of a door structure.

**The maximum width of a sidelight:** 1400 mm.



## Standart colours

Door colours will definitely enhance the facade look and add an individual character.

Panelled doors are designed for the most demanding users. The innovative technical solutions and unconventional designs let us create not only functional and durable front entry doors, but also the hallmark and decoration for many years.



\* Optionally all RAL colours are available as subject to a surcharge.

\*\* Models from DP20 to DP36 are only available in RAL colors.

## Wood-like colours



\* A surcharge for wood-like colours.

\*\* Colours shown in this leaflet may differ from the actual ones.

\*\*\* Models from DP20 to DP36 are only available in RAL colors.






# INTERIOR DOORS



# ARTE COLLECTION

The models comprising this collection reflect the idea that the natural structure of wood is inherently beautiful. The panels are decorated with exotic wood veneer sheets that are in perfect harmony with frosted glass and mirrors. The individual selection of veneer patterns transforms each door model into a truly unique item.



## Model A1


Veneer – american walnut





## Model B1

Glass – RAL 9005



## Model B11

Glass – NCS S 1002

Y50R + diamant

# BONE collection

The gloss effect and the lightness of the glass make the models from this collection really stand out. Painted glass or tinted mirror creates a sensation of space and freedom of movement. The panels will be a great addition to a contemporary style interior design.



B1



B2



B3



B5



B10



B11



B14



B15



# INNOVATIVE LOGISTICS

---

Our revolutionary logistics and distribution model of windows and doors is the most dependable in Canada & United States. From the manufacturer to your doorstep, we guarantee a seamless and trustworthy process.



# CASA collection



Ornamental aluminum-mouldings perfectly highlight the best features of each model. The perfect ratio of natural veneer, glass and mouldings combined in every single item is the main feature and benefit of this collection. Doors decorated with moulding stripes look more minimalist, which makes them a perfect fit for restrained interiors



**Model C2**  
Veneer – graphite oak

# PRODUCT VARIETY

---

To match your unique preferences, choose from diverse European windows and doors available in various materials.




# DRIVE collection


A collection of painted doors in the neoclassical style. Unconventional 3D milling gives each model a unique personality and makes it exceptionally sophisticated. The collection is suitable for both classical and contemporary interiors.



**Model D2**  
Enamel – NCS S 0500 N



D1



D2



D3




D4



## EVO collection

The key feature of this collection is the super durable and eco-friendly HPL coating of each model. A collection of doors with HPL coating is the epitome of unconventional, highly original texture solutions that resemble the structure of natural wood, concrete, stainless steel, bright glossy colors, and more. Such models look special in any kind of interior.



### Model E1

HPL – ABET LAMINATI Mars 1930

# SWIFT ORDER PRODUCTION

---

Experience seamless processes with quick delivery. We pride ourselves on short waiting times for all orders – around 3 months! Our dedicated team of door and window installers in Toronto ensures a hassle-free experience.



# FLY collection



F1



F2



F3



F4



F5



F6



F7



F8

The models in this collection belong to the neoclassical style, which is characterized by all the refinement of the traditional style in a restrained and laconic design. The doors emphasize the lightness and spaciousness of such interiors. Panes are attached to panels by straight milling. This decor is accentuated by mat paint.



**Model F 3**  
Enamel – NCS S 1510 Y70R



# G-LINE collection

An exquisite classic from the winner of the Ukrainian Wood Fashion contest. This door collection stands out due to its special elegance achieved thanks to ornamental fillet panels, which subtly add exquisite luxury and highlight the individual character of the interior.



GL 5



GL 6



GL 7

## Model GL 7

Enamel – NCS S 0502 B50G

CATALOG

# Model H5

Enamel – NCS S 3005 Y50R



## HIDE collection

The main feature of the collection is a sophisticated combination of natural wood and smooth enamel, painted in the same shade and united by seamless ornamental milling. This door collection will give a special elegance and charm to any room, as well as highlight the splendor of the interior design.



H1



H2



H3



H4



H5



H6



H7



H8



# ISY collection



11



12



13



14



15



16



17



18

A collection of doors with a combination coating consisting of smooth matte enamel and natural veneer inserts. Due to the state-of-the-art design of the panels, as well as an impressive selection of possible enamel and wood shades, these models will be a perfect addition to any modern interior.



**Model 13**  
Enamel – RAL 9003


# Model L2

Laminam – BRUNO



## LOFT collection

The models from this collection are trimmed with LAMINAM quartz panels that highlight the status of a loft interior design. These reliable and low-maintenance doors look really impressive. They are a perfect fit for people who love special interior design.



L1 L2 L3 L4 L5



L6 L7 L8 L9



## INVISIBLE LINE


Doors with a concealed frame are a perfect idea for modern interiors, where space and clear lines play a special role. The design of these doors allows the panels to blend in with the interior design, becoming its integral part: an addition and extension of the wall in which they are mounted. The panels come in a wide range of coatings, including enamel, glass, veneer, HPL, and more.





## INSIDE opening

Doors that open inside help save living space and are well-suited for rooms with thick walls. When the door opens, the door panel is dislodged inside a cavity. All panels in your interior will be placed in one plane, which will add balance and harmony.



## SKY LINE

Doors in the Sky Line option are a sophisticated custom solution for those who don't want to be limited by any restrictions. Defying all standards, these floor-to-ceiling doors will become the highlight of your interior that will capture everyone's attention. The key feature of these models is a lack of the lintel and horizontal casing, which creates an illusion of a bigger space.



## ROTO OPENING

The Roto pivot sliding mechanism is the optimum solution for functional rooms. A two-way design allows to push the door regardless of whether you enter or leave the room. This opening mechanism saves space and provides greater opportunities for the implementation of design ideas.





## SLIDING DOORS

Sliding door opening mechanisms are designed for perfect space optimization. Sliding door panels add a sensation of lightness and at the same time reliability, as well as ensure quiet operation. A well-chosen system will complete the interior and make it exclusive.



## SLIDING DOORS

Sliding door opening mechanisms are designed for perfect space optimization. Sliding door panels add a sensation of lightness and at the same time reliability, as well as ensure quiet operation. A well-chosen system will complete the interior and make it exclusive.





# HANDLES

## TUPAI



MELODY VARIO 3089RT



DEDOS 3094RT



ICELAND 4001RT



ICEBERG 4003RT



CINTO 2732RT



BIG 3084RT



MELODY 3099RT



LINA 1 2736Q



BIG GORDO 4084RT



ELIPTICA 3098 Q

## DND MARTINELLI



SOCHIC L 02



LUXURY 02



ESA



DUE



MINIMA



TIMELESS



JOY 02




HOLLY



DROP



BLEND





## COLOMBO



TECNO MO11



BOLD PT11



ELECTRA MC 11



ROBOCINQUES ID 71



ELLESSE BIG



ALBA LC 91



ESPRIT BT 11



GIRA JM 11



ISY BL11 RSB



ZELDA

## FOR SLIDING DOORS



JNF IN.16.402



FIMET 3663A



DND 2187



JNF IN.16.410



JNF IN.16.416



TUPAI 2650



# GARAGE DOORS

ALL IN ONE DESIGN

Developed for customers with the most sophisticated tastes and for those who, when designing a house, pay attention to every, even the smallest detail. The aesthetic product line „All in One Design“ not only saves time needed to choose the joinery, but above all, it guarantees a harmonious appearance of windows, doors, gates and roller shutters.



# CONTRASTS FOR THE BRAVE

The set changes traditional thinking about design and creates a full range of possibilities through a wide range of colors. All additional materials were used here - wood, glass, aluminum covers

## TORINO

ALL IN ONE





# IN HARMONY WITH NATURE

A project that will work in all modern buildings. Designers focused on nature - the surface of the board may resemble stone, and the veneers look almost like wood.

## FOGGIA

ALL IN ONE



Developed for customers with the most sophisticated tastes and for those who, when designing a house, pay attention to every, even the smallest detail. The aesthetic product line „All in One Design“ not only saves time needed to choose the joinery, but above all, it guarantees a harmonious appearance of windows, doors, gates and roller shutters.



# FOGGIA

Developed for customers with the most sophisticated tastes and for those who, when designing a house, pay attention to every, even the smallest detail. The aesthetic product line „All in One Design“ not only saves time needed to choose the joinery, but above all, it guarantees a harmonious appearance of windows, doors, gates and roller shutters.

# FIRENZE



## STYLE EXPRESSED IN DETAILS

A composition for lovers of accessories with a sharpened finish. Modern accessories in the form of a simple handrail and rectangular, matt Inox overlays were used here.

### FIRENZE

ALL IN ONE



Developed for customers with the most sophisticated tastes and for those who, when designing a house, pay attention to every, even the smallest detail. The aesthetic product line „All in One Design“ not only saves time needed to choose the joinery, but above all, it guarantees a harmonious appearance of windows, doors, gates and roller shutters.



LIVORNO



## A SIMPLE FORM AND ELEGANCE

When creating this set, the inspiration was the classic and one-color constructions, which is visible at first glance. A slight break is the pattern on the door made of Inox overlays

### LIVORNO

ALL IN ONE





# CLASSICS WITH A MODERN TOUCH

Subtle glazing on the door and gate in combination with the Inox frame will surely win the recognition of lovers of subdued solutions. The choice of veneer in this case comes down to one color

## MESSINA

ALL IN ONE



Developed for customers with the most sophisticated tastes and for those who, when designing a house, pay attention to every, even the smallest detail. The aesthetic product line „All in One Design“ not only saves time needed to choose the joinery, but above all, it guarantees a harmonious appearance of windows, doors, gates and roller shutters.



# MESSINA

Developed for customers with the most sophisticated tastes and for those who, when designing a house, pay attention to every, even the smallest detail. The aesthetic product line „All in One Design” not only saves time needed to choose the joinery, but above all, it guarantees a harmonious appearance of windows, doors, gates and roller shutters.

# MODENA



## BEAUTY HIDDEN IN SIMPLICITY

The combination of color, simple cutters and glass gives the structure an original appearance in its simplicity. The door uses a handrail that fits perfectly with the glass.

### MODENA

ALL IN ONE



Developed for customers with the most sophisticated tastes and for those who, when designing a house, pay attention to every, even the smallest detail. The aesthetic product line „All in One Design“ not only saves time needed to choose the joinery, but above all, it guarantees a harmonious appearance of windows, doors, gates and roller shutters.



## TIMELESS DESIGN

The elements are characterized by elegance and subdued colors and materials in a matte finish. An additional advantage is the subtle glazing and a delicate aluminum cover.

## VERONA

ALL IN ONE





# EMBOSSING PATTERNS AND PANEL STRUCTURES

Thanks to the possibility of choosing embossings, it is possible to make not only smooth panels without embossings but also panels with high or low embossing.

Garage door panels from the outside can use wood-like Woodgrain structures, elegant Deep Mat and smooth structures. From the inside, the panels have a smooth structure in a standard colour similar to RAL 9010. All panels can also be optionally equipped with low or high embossing.




From the inside, the panels have a standard STUCCO structure with low embossing.



L - embossing



V - high embossing



F - no embossing



Woodgrain



Deep Mat



Smooth





## COLOUR PALETTE

The perfect match of the garage door to each building provides a wide range of panel finishing options. They can be varnished in any colour from the RAL palette or Aluplast and Salamander veneers can be used. The available options allow for a consistent appearance of the gate and other elements of the joinery.



– AP 61 Sand grey



– AP 95 Winchester



– AP 27 Walnut



– AP 19 Turner Oak Malt



– 7016 smooth



– 7016 Anthracite - Deep Mat



– 7016 Anthracite - Woodgrain



– 9005 Black - smooth



– 7039 Sand gray - structure



– 7039 Sand Gray - Deep Mat



– 9016 White Woodgrain



– AP 44 Structural white

The panels are available in colours from the RAL palette and veneers used for Salamander and Aluplast window profiles.



## SECTIONAL GARAGE DOORS



### INFINITY GARAGE DOOR WITH TENSION SPRINGS

Tension springs are recommended for installation in small garages. Installation of doors with tension springs is extremely fast and does not require special winding of the springs. A mechanism of two springs was used here (the so-called "spring in a spring"), which allows the armor to bear a weight of up to 120 kg.



### INFINITY GARAGE DOOR WITH TORSION SPRINGS AT THE FRONT

Torsion springs are dedicated to large-size garages doors. They lift much more weight than the tension springs. Installation of doors with torsion springs at the front is possible when the lintel height is at least 200 mm. The maximum weight of the gate is about 195 kg.



### INFINITY GARAGE DOOR WITH TORSION SPRINGS AT THE REAR

Location of the torsion springs at the rear part of the door allows it to be mounted to the garage opening with a lower lintel. In this case, it is sufficient for the lintel to be 85 mm (115 mm for an electric drive). Maximum lifting capacity up to approx. 195 kg

## CURTAIN OF THE GARAGE DOOR

The door leaf is made of panels with heights: 500, 555 and 610 mm. Depending on the height of the door, different panel heights are used. The manufacturer decides about the height of the panels used. 40 mm thick panels are made of galvanized steel sheet and additionally filled with CFC-free polyurethane foam. The panels are veneered or covered with polyester paints. A gasket adhering to the base is installed in the bottom panel. A seal mounted to the top panel or attached to the lintel provides a seal between the top panel and the lintel.



Smooth Woodgrain panel with low and high ribs




Smooth panel with low and high ribs



# GATE EQUIPMENT PACKAGES

The wide range of options for INFINITI doors has been divided into packages to help investors make the right choice. The packages reduce the noise level of the gates and improve the safety of their use.



## GARAGE DOORS


Segmental garage doors can be equipped with a Quiet, Safe or Premium package, fulfilling any technological needs at the same time.

Possibility to cover panels with any RAL color or a veneer matching with the manufactured uPVC windows, that creates color consistency and available accessories such as glazings or decorations provide a complete personalization and matching patterns with All in one collection.

# INFINITI QUIET

EVEN QUIETER WITH THE

The noise that surrounds us from everywhere is a source of discomfort and negatively affects our health and that of our loved ones. The additions from the INFINITI QUIET package reduce the noise of the door operation and ensure that it does not disturb the rest of the household



## SILENCE... WILL BE PROVIDED BY THE INFINITI QUIET!

- Fluent and silent garage door operation
- Aesthetic and functionality at the highest level
- The garage door harmonizes with the rest of joinery
- Comfort for the most demanding clients – soundproof mechanisms



Strap rail



Silent rollers



Fittings painted RAL 9016




# INFINITI QUIET



# INFINITI SAFE

EXTENDED PROTECTION WITH

INFINITI doors with standard equipment are safe. The additional SAFE package increases the convenience of using them, ensures the functionality of the gate during power outages and provides additional anti-burglary protection. The presence of a photocell allows the gate to react faster to emerging obstacles.



## SAFETY IS PROVIDED BY INFINITI SAFE!

- Optimal safety for all householders and your car
- Ensures work even with longer power cuts
- Garage door harmonizes with the rest of joinery
- Dedicated antiburglary protection



Emergency opening battery



Photocell



Mechanical trolley lock



Thermal gasket



# INFINITI SAFE

# INFINITI PREMIUM

THE COMPLETE GATE EQUIPMENT IS

The rich set of PREMIUM accessories combines the benefits of the QUIET and SAFE packages, supplementing them with additional elements that improve the appearance of the door. Choosing the PREMIUM package means getting the best version of the INFINITI Gateway available.



## PREMIUM CLASS ONLY WITH INFINITI PREMIUM!

- Design and aesthetic at the highest level
- Provides soundproof against external noise
- Working garage mechanisms are inaudible
- Provides safety for residents



Plastic foot



Thermal gasket



Emergency opening battery



Levelling profile



Strap rail



Silent rollers



Painted fittings RAL 9016



Mechanical trolley lock



Photocell



# INFINITI X

## TYPES OF SECTIONAL DOOR SYSTEMS

type of drive	manual or automatic
max. surface of the door curtain	9 m <sup>2</sup>
max. dimension of the opening	4500 mm 3000 mm
min. jamb width	85 mm
minimum / recommended headroom height	100 / 120 mm
max. headroom height for standard suspensions	430 mm
min. installation depth - without drive	H + 579 mm
min. installation depth with electric drive	for gates up to 2250 mm high - 3150 mm for gates up to 2750 mm high - 3750 mm for gates up to 3000 mm high - 4750 mm



### DOOR SYSTEM WITH EXTENSION SPRINGS

The system with tension springs is recommended for use in garages with a small area. Its assembly is quick and does not require additional winding of the springs. The INFINITI X uses the so-called „spring-in-spring” mechanism, which allows the safe use of a door sash weighing up to 130 kg. The presence of two springs also provides additional security, eliminating the risk of the highly improbable breakage of one of the springs.

# INFINITI R

## TYPES OF SECTIONAL DOOR SYSTEMS

type of drive	manual or automatic
max. surface of the door curtain	12,5 m <sup>2</sup>
max. dimension of the opening	5500 mm 3000 mm
min. jamb width	85 mm
minimum / recommended headroom height	90 / 120 mm
max. headroom height for standard suspensions	430 mm
min. installation depth - without drive	H + 695 mm
min. installation depth with electric drive	for gates up to 2250 mm high - 3150 mm for gates up to 2750 mm high - 3750 mm for gates up to 3000 mm high - 4750 mm



### DOOR SYSTEM WITH TORSION SPRINGS AT THE REAR

The location of the torsion springs in the rear part of the door allows it to be installed in the garage opening with a lower lintel. In this case, a headroom of 90 mm (120 mm in the case of an electric drive) is sufficient. Maximum load capacity up to approximately 165 kg.

# INFINITI F

## TYPES OF SECTIONAL DOOR SYSTEMS

type of drive	manual or automatic
max. surface of the door curtain	15 m <sup>2</sup>
max. dimension of the opening	6000 mm 3500 mm
min. jamb width	85 mm
minimum / recommended headroom height	200 mm
max. headroom height for standard suspensions	430 mm
min. installation depth - without drive	H + 575 mm
min. installation depth with electric drive	for gates up to 2250 mm high - 3150 mm for gates up to 2750 mm high - 3750 mm for gates up to 3000 mm high - 4750 mm



### DOOR SYSTEM WITH TORSION SPRINGS AT THE FRONT

Torsion springs are dedicated to large-size gates. They will lift much more weight than extension springs. Installation of doors with torsion springs at the front is possible if the headroom height is at least 200 mm. The maximum gate weight is approximately 295 kg.

# INFINITI ZERO

## TYPES OF SECTIONAL DOOR SYSTEMS

### WHEN THERE IS NO SIDE SPACE OR HEADROOM

For situations where side space or headroom is limited, we have designed an add-on for INFINITI systems. These elements allow the set of guides to be mounted directly to the wall or ceiling.


The connections are covered with high-quality profiles that ensure a durable and modern finish. It is an ideal solution for the so-called. tunnel garages or renovation projects where side space or headroom is severely limited.



Bracket for mounting the vertical guide to the wall



HOME ZERO distance profile



Bracket for mounting the lintel profile to the ceiling



Holder for mounting the horizontal guide to the wall



Covering profile that can be painted in RAL colours



# GATE AUTOMATION ACCESSORIES

The gate and the grille are, above all, safety. Thanks to add-ons, they become an impregnable fortress.



### Keyboard

Operating in the RTS or io technology, the wall keypad allows you to control two devices or their groups. The device runs on batteries and does not need wiring.



### Smoove io

Wall transmitter operating in io technology. Battery powered. It allows remote control of the gate operation.



### Universal radio receiver

Radio receiver designed for remote control of garage doors. It works in RTS technology. Compatible with TaHoma® Switch.



### Signal lamp

Signal lamps informing about the opening and closing of the entrance gate provide even greater safety for users.



### Backup battery

The battery allows the drive to operate during a power failure, 5-10 cycles of operation within 24 hours, depending on the characteristics.



### RTS wall transmitter

Battery powered RTS radio transmitter. It allows you to control up to 3 devices or their groups from a distance of up to 30 m.





### TaHoma® central unit

Online io & RTS installation manager.



### Photocells

The offer includes a set of photocells for gates, which are equipped with a special system that guarantees stopping the gate when it encounters an obstacle on its way.



## COMPREHENSIVE HOME CONTROL

INFINITI systems are compatible with comprehensive smart home solutions that are controlled via a phone app or with the help of a voice assistant. With the TaHoma® Switch control panel, you get full control over the entire home ecosystem, which may also include e.g. window coverings and lighting. Scenarios created easily and activated with one button significantly increase the comfort of household members.



## DEXXO SMART IO DRIVE

- Drive ready for operation in less than 90 seconds
- Easy programming and easy diagnostics (Set & Go and Serve-e-Go)
- TaHoma® switch: easy remote control of devices via the Internet
- Full control of electric drive parameters for accurate, smooth and safe operation
- Comprehensive compatibility of accessories and protections



## HOME HG DRIVE

- Smooth soft start „Soft Start“ and gentle closing of the gate „Soft Stop“
- Programmed limit positions
- Motor power adjustment
- Built-in anti-crushing encoder - when the gate is moving
- It automatically stops and reverses when it encounters an obstacle

type of drive	Dexxo Optimo	Dexxo Pro	Dexxo Pro	Smart io	Smart io	Home HG	Home HG
Producer	Somfy	Somfy	Somfy	Somfy	Somfy	Came	Came
Radioline	RTS	RTS	RTS	io	io	Space	Space
Frequency	433,42 MHz	433,42 MHz	433,42 MHz	868-870 MHz	868-870 MHz	433,92 MHz	433,92 MHz
Thrust	800	800	1000	800	1000	600	1000
Maximum gate area	10 m <sup>2</sup>	12 m <sup>2</sup>	15 m <sup>2</sup>	12 m <sup>2</sup>	15 m <sup>2</sup>	10 m <sup>2</sup>	14 m <sup>2</sup>
Amperometric force measurement	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Soft start and stop	Yes / programmable	-	-				
Built-in lighting	LED	LED	LED	LED	LED	Bulb	Bulb
Maximum number of channels	32	32	32	38*	38*	36	36
The number of remotes in the set	2	2	2	2	2	2	2
Type of rails	chain / belt	chain / belt	chain / belt				
Gate position feedback	-	-	-	Yes**	Yes**	-	-
Number of cycles per day	20	20/50***	20/50***	20	20	-	-
Degree of protection	IP20	IP20	IP20	IP20	IP20	IP20	IP20
Opening speed	max 140 mm/s	max 180 mm/s	max 180 mm/s	max 140 mm/s	max 100 mm/s	96 mm/s	97 mm/s





# ENDLESS POSSIBILITIES

## PERFORMANCE OPTIONS AND DECORATIVE APPLICATIONS

INFINITI sectional doors offer a lot of possibilities, especially when it comes to additional lighting of the garage or workshop. The door sections can be fitted with very large glazing made of transparent or privacy glass without blocking most of the natural light. Doors with glazed sections are available in the same sizes as the other options. The width of the panoramic glazing can reach up to 3 meters without the use of additional mullions. Possibility of using a ventilation section (expanded mesh filling).



### PASSAGE DOOR

Available up to a width of 4.5 meters with a low or high threshold. The possibility of making wider doors should be consulted with the Eko-Okna sales department.



### GLAZING

A large selection of insulating glass with inox overlay and acrylic glass in frames made of PVC



### BLENDE

It allows you to create a lintel, if the customer does not have one, and compensates for the unevenness of the opening in which the door is installed. The fascia is varnished in the colour of the gate.



### ALUMINIUM / PANORAMIC SECTION

Possibility of making an aluminium section up to 6000 mm or panoramic glass (without chambers) up to 3000 mm.





# PATIO ALUMINUM DOORS



# COR VISION



116mm / 3-track- 182mm

Frame depth

36-54mm

Sash depth

H up to 3000mm  
L up to 2500mm

Max. dimensions of the window sash (HxL)

320kg

Max. sash weight of the sash(doors / windows)

MAX. DIMENSIONS AND WEIGHTS OF THE CONSTRUCTIONS

Characterized by Italian design, the Cor Vision system was created to minimize the visibility of profiles, which may constitute only 9% of the structure.

This is to increase the glazing and improve the aesthetic experience of this prestigious solution. The effect obtained has been further improved by enabling the embedding of lower, upper and side frames.

A characteristic feature of the Cor Vision system is that there is no need to use a corner post when connecting the sashes at an angle of 90 ° In the case of the single-track system option, it is possible to hide the rail in the permanent glazing area. Reinforced frames ensure high durability and allow the use of sashes with a maximum weight of 320 kg. The Uw coefficient reaches a satisfactory level of 1.3W / m²K.



COR VISION



The advanced version of the Cor Vision system, Cor Vision Plus, is intended for use in places where large glazing is planned.

The main advantage of the system is almost complete removal of the barrier between the interior of the room and the open space. The doors can have any sash configuration and can be opened both to the outside and inside of the building. The leaves are slid along rails on which the whole mechanism is installed.

The system is available in two threshold variants. The first one is classic with rebate sealing, and the second with a low threshold, which is very convenient to use. Steel rollers ensure quick and easy door operation, and brushes in the driving corners provide protection against dirt entering the corner.

# COR VISION PLUS



\*depends on the configuration - consult with a technologist

<p><b>180mm / 3-track- 278mm</b></p> <p>building depth</p>	<p><b>26-30mm</b></p> <p>Filling thickness</p>	
<p><b>MAX. DIMENSIONS AND WEIGHTS OF THE CONSTRUCTION</b></p>	<p><b>H up to 4000mm</b> <b>L up to 4000mm</b></p> <p>Max. dimensions of the window sash (HxL)</p>	<p><b>400kg (manual)</b> <b>700kg (automated)</b></p> <p>Max. weight of the sash (door/window)</p>

# COR VISION PLUS



# MASTERPATIO



**MasterPatio is a technologically advanced response to the need to obtain the largest possible glazing in sliding and tilt door systems.**

The profiles are almost invisible in it and constitute only about 10% of the opening's lumen. The visibility of plastic elements and gaskets that are hidden in the profiles has been minimized. At the same time, it was possible to obtain a thermal transmittance coefficient suitable for passive buildings (up to 0.9W / (m²K)).

The MasterPatio system can even cover the entire wall. It is possible to create almost the entire facade with its use. The maximum height of the element is 3.5 m, and the weight of the sliding and tilting sash can reach 500 kg. Glazed doors are packages up to 62mm wide. The solution is fully compatible with the Masterline 8 window and door system, which dramatically enriches the design possibilities. In some variants, a low threshold or a threshold flush with the floor can be used.

**180<sub>mm</sub>**

Frame depth (window)

**77<sub>mm</sub>**

Sash depth (window)

up to **62<sub>mm</sub>**

Glazing thickness


**MAX. DIMENSIONS AND WEIGHTS OF THE CONSTRUCTION**

**H up 3500<sub>mm</sub>**  
**L up 2800<sub>mm</sub>**


Max. dimensions of the window TT

**500<sub>kg</sub>**

Max. weight of the sash (window)



**MASTERPATIO**



**The MB-86 Fold Line system has been designed for the production of large glazed surfaces in folding design.**

This prestigious system allows the glass area to be as much as 94% of the opening. This gives access to the maximum amount of natural light and thus improves the aesthetics of the rooms.

The slim lines of Cor Vision Plus are not only characterized by an excellent design, but together with the glazing used, they reduce the  $U_w$  value to even  $0.9W / m^2K$ .

Cor Vision Plus allows you to hide the frames around the perimeter. Only the 25 mm wide centre post remains visible. Glass packages up to 54mm wide maximize the acoustic and thermal properties of the solution. The maximum single dimension is as much as 4,000 mm per sash, and the permissible sash weight is 700 kg (400 kg when opening manually).

# MB-86 FOLD LINE

## MB-86 FOLD LINE



	<b>14-61,5<sub>mm</sub></b> <small>Glazing thickness</small>	<b>77<sub>mm</sub></b> <small>Leaf depth (window)</small>	<b>87<sub>mm</sub></b> <small>Frame depth (window)</small>
<b>MIN. VISIBLE PROFILE WIDTH</b>		<b>54<sub>mm</sub></b> <small>Frame</small>	<b>68,5<sub>mm</sub></b> <small>Leaf</small>
<b>MAX STRUCTURE DIMENSIONS AND WEIGHT</b>	<b>1000 x 2700<sub>mm</sub></b> <small>Max. dimensions of leaf</small>		<b>100<sub>kg</sub></b> <small>Max. weight of the leaf</small>

**The MB-Slide system creates enormous design possibilities and, at the same time, space arrangement opportunities.**

The maximum dimensions of the leaves are 2.6 x 1.8 m. Available in different variants: from 2 to 6 modules. They can be glazed with up to 24 mm wide glass packages. The structures based on the MB-Slide system also guarantee good technical parameters.

Thermal separators ensure adequate thermal insulation of aluminium profiles, and sliding gaskets as well as EPDM rebate and glass gaskets enable high tightness of the structure.

Installation depth of leaf profiles is 37 mm, for frames: 50 mm (two-track rails) and 97 mm (three-track rails). MB-Slide system sliding doors move according to one of seven different patterns.


# MB-SLIDE



## MB-SLIDE



<b>24<sub>mm</sub></b> <small>Glazing thickness</small>	<b>50 and 97<sub>mm</sub></b> <small>Frame depth</small>	<b>37<sub>mm</sub></b> <small>Leaf depth</small>
<b>MIN. VISIBLE PROFILE WIDTH</b>	<b>44,5<sub>mm</sub></b> <small>Frame</small>	<b>68,5<sub>mm</sub></b> <small>Leaf</small>
<b>MAX STRUCTURE DIMENSIONS AND WEIGHT</b>	<b>H to 2600<sub>mm</sub></b> <b>L to 1800<sub>mm</sub></b> <small>Max. dimensions of leaf</small>	<b>160<sub>kg</sub></b> <small>Max. weight of the leaf</small>

A modern, two-story house with a light-colored stucco exterior and dark wood accents. A large window with a dark frame is visible. The house is set against a clear blue sky with green trees in the background. A dark, semi-transparent banner is overlaid on the lower half of the image, containing the text 'PATIO UPVC DOORS' in white, bold, sans-serif font. In the bottom right corner, there is a small number '61' and a partial view of an outdoor patio with a table and chairs.

# PATIO UPVC DOORS

**The perfect choice for customers looking for an economical solution for small spaces.**

Sliding structures made on the basis of this system will work well in places where balcony windows with an inward opening sash cannot be used, due to the limited space in the room.

With the Multi Slide system you can make sliding doors with a maximum area of 7.25 m<sup>2</sup>. The use of a special frame profile, which acts as an additional track, enables the construction of a three-track structure. Thanks to this, an effect similar to the folding door can be obtained, where the following sashes, after opening, slide over one of the extreme sections, creating one, uninterrupted passageway.

The Multi Slide system uses brush seals at the contact point of the sashes with the frame and between the sashes.

# MULTI SLIDE



## MULTI SLIDE



 <p>system available in the scheme: A, An, C, D</p>	<p><b>1,4</b></p> <p><small>Uw for Ug = 0,9 (Ultimate spacer bar)</small></p>	<p><b>2-3</b></p> <p><small>amount of tracks scrolling</small></p>
 <p>maximum construction width 3600 mm</p>		
 <p>glazing with packages from 4 to 33 mm wide</p>	<p><b>170mm</b></p> <p><small>maximum installation depth</small></p>	



# HST 85



HST 85 VARIANT




**Lift and slide door system with high thermal properties. It enables the construction of large-format glazing while maintaining the best thermal insulation parameters.**

The system is available in three variants: Basic, Standard and Premium. Each of them has a different threshold. When using the Premium version, it can be freely used in low-energy buildings.

To maintain the aesthetics of the finish in the Premium version, we enable the installation of Aluskin aluminium covers. This solution has been reserved exclusively for this sliding door system.

The profiles can have a white, brown, cream or anthracite core. Thanks to this, when using veneers, you can obtain a consistent colour of the profile.

The HST 85 system enables the construction of large-sized, glazed lift and slide doors. The maximum width of the set is as much as 6.7 meters, and the maximum permissible dimensions of the wings are 3x2.5 m.



 <p>system available in the scheme: A, C, D</p>	<p><b>0,98</b></p> <p>Uw for Ug = 0,5 (Ultimate spacer bar)</p>	<p><b>2</b></p> <p>amount of tracks scrolling</p>
 <p>maximum sash weight - 400 kg</p>	<p><b>197</b> mm</p> <p>construction depth</p>	<p><b>A</b></p> <p>aluminium cover</p>
 <p>glazing with packages with a width of 20 to 52 mm</p>		

# HST 85



**Smart Slide is a sliding door, but the innovative closing mechanism allows for simple and intuitive operation, similar to the solutions used in lift-slide doors.**

It is worth recommending the system to your clients for another reason. Using it, you can easily make larger structures, in which the sash can reach a size of up to 1.5 x 2.3 m.

The installation depth is 140 mm, and the glazing units can have a maximum width of 42 mm. This means that the doors based on the Smart Slide system are not only functional, they can be used to create large structures, but also have high thermal values.

Smart Slide sliding doors can be equipped with air inlets. We also recommend a full range of smooth and wood-like veneers, thanks to which the doors will adapt to any type of interior or facade.

# SMART SLIDE

## SMART SLIDE




 <p>system available in the scheme: A. C</p>	<p><b>0,92</b></p> <p>Uw for Ug = 0.6 (Ultimate spacer bar)</p>	<p><b>2</b></p> <p>amount of tracks scrolling</p>
 <p>one-sided or two-sided handle to choose from</p>	<p><b>140<sub>mm</sub></b></p> <p>construction depth</p>	
 <p>closing with packages up to 42 mm</p>		

# COLOURING

## ALUPLAST


Windows are more and more often a decorative element, both for the entire building and the interior. All elements of the steel joinery are powder coated. Steel profiles create unlimited possibilities. In order to obtain the desired colour effect, the windows can be varnished according to the colours from the RAL palette. (semi-gloss, structure). It is not possible to paint the inside and outside in different colours.





# COLOURING

## SALAMANDER





# PERGOLA



# ALUMINUM PERGOLAS



The backyard terrace is a place where social and family life is vibrant. The pergolas we produce offer several square feet of additional space for spending free time outside, regardless of the weather conditions. Durable aluminum construction and proven components will allow you to enjoy your home terrace for many years.



## LIGHTING & SENSORS

Additional options as LED lighting around the perimeter of the structure or automatic control systems by rain, wind and temperature sensors gives you more calm and enjoyment during using this space.



## MOVABLE LAMELLAE

Depending on the weather and your preference roof can be open to the sun or close if need more shadow or rain is coming. And all of this can be done just by click the button or automatically by sensors.



## DRAINAGE SYSTEM

Proper water drains from the roof is ensured by special drainage which runs from the upper part through a tunnel in the legs of the pergola as far as the outlet in their lower parts.

The Pergola is an extension of the living room to the garden part. The structure consists of a stable aluminum frame and an opening roof, thanks to which the amount of light on the terrace can be adjusted. Innovative solution as rain, wind and temperature sensor give you extra possibilities to access for this space regardless of weather conditions without yours moves.

13' 1"

max width

9' 10"

max height







SALES DEPARTMENT AND SHOWROOM:

6210 Northwest Dr Mississauga  
ON L4V 1J6 Canada

EK@skygenwindows.com

FOLLOW US:

[Linkedin](#)

[Instagram](#)

[Facebook](#)

PHONE:

+1 905 672 8800



**SKYGEN**  
WINDOWS SYSTEMS